

Welcome to our 2018 Catalogue.

Within this revision we have a few additions from Mario de Cooker that he has raised over the years which may be of interest you, so I hope you will find something that you feel you just cannot live without as you browse through the pages.

I think the changes we have tried to implement at the Nursery over the past two years are now fairly well established with most of you, and as it has proved beneficial for us we will continue with the same format for the foreseeable future. Basically, we now only supply plants either by mail order or by pre-arranged collections from the Nursery.

You can pre-order plants for collection, or later contact us to see if we have the plants you require, they can then be collected from the Nursery at a convenient time to suit all.

Mail Order

We offer a postal service for U.K. customers only, but do ask you to contact us first with your requirements as some of the varieties we grow can be a little erratic and sparse in suitable cutting material. We can then tell you if the plants are available and also confirm if they can be sent when you require them.

Having held our prices for the last four years regrettably we now have to make an increase owing to higher post and packaging costs and substantial bank charges.

Prices

The cost of a box of six plants in 5.5-6cm this year is - **£20.00** including Post and Packing.

We can also post plants up to 9cm pot size. These are usually priced at the time of an enquiry as the box size and weight can vary with each individual order. (please enquire)

Methods of payment

Cheques. made payable to - Clay Lane Nursery

Bank Transfer. If you bank on line and would prefer to pay by direct transfer please ask for details.

Regret we are unable to accept payments by card.

THE FUCHSIA SPECIES

THIS SECTION ALSO INCLUDES NATURAL SPECIES HYBRIDS

Listed below are most of the species I have in my collection. However, owing to the independent nature of the plants, it will inevitably mean that there will never be a full quota of plants for sale at any one time. Some, regrettably - owing to the shortage of cutting material and poor success rate, may not be available for sale at all but it is always worth asking.

ABOUT THE SPECIES LIST

The genus is divided into eleven sections as follows.

**Ellobium. Encliandra. Fuchsia. Hemsleyella. Jimenezia. Kierschlegeria.
Pachyrrhiza. Procumbentes. Quelusia. Schufia. Skinnera.**

For simplicity, I have listed the plants in alphabetical order and have put the section to which they belong as the first part of the description.

- F. alpestris* (Quelusia) (Gardner 1843 - Rio de Janeiro) T & S - red to dull pink. C - violet. Large leaves yellowish green with red young growth. Spreading habit
- F. ampliata* (Fuchsia) (Ecuador and Bolivia) T & S - bright scarlet to orange. C - red to orange.
- F. andrei* (Fuchsia) (Johnston 1925 - Peru and Ecuador) T, S & C - deep orange to coral red. Glossy waxy textured flowers and foliage. Upright growth.
- F. arborescens* (Schufia) (Sims 1825 - Central America and Mexico) T - rosy purple, cornet shaped S - rosy purple. C - pale mauve. Small lilac-like flowers held erect in corymbose panicles. Large smooth edged lustrous deep green laurel-like foliage.
- F. ayavacensis* (Fuchsia) (Humboldt Bonpland & Kunth 1823 - Peru) T, S & C - orange red. Likes well drained compost.
- F. boliviana* (Fuchsia) (Carriere 1876 - Northern Argentina, Bolivia and Peru) T, S & C - intense dark red. Flowers borne in racemes. Large sage green foliage with green veins and green stems.
- F. boliviana*
var. *luxurians* (Fuchsia) (Northern Argentina, Bolivia and Peru) T, S & C - pinky red. Long narrow flowers borne in clusters. Medium green foliage with large hairy leaves with reddish veins. Young branches also reddish in colour.
- F. boliviana*
var. *luxurians alba* (Fuchsia) (Northern Argentina, Bolivia and Peru) T & S - white. C - pinky red. Long narrow flowers. Foliage lighter green than *F. boliviana* var. *luxurians* with green veins and green stems.
- F. cinerea* (Fuchsia) (Berry 1978 - Colombia & Ecuador) T & S - dull orange. C - orange to crimson. Foliage light green in shade turning purplish-red with ample light. Upright shrubby.
- F. denticulata* (Fuchsia) (Ruiz & Pavon 1802 - Peru & Bolivia) T & S - pink tipped green. C - orange to scarlet. Dark green long narrow foliage.
- F. dependens* (Fuchsia) (Hooker 1838 - Ecuador) T, S & C - orange to red. Long thin flowers. Upright self-branching growth. Prefers little interference and to be kept rather dry.
- F. fulgens* (Ellobium) (de Candolle 1828 - Mexico) T - pink to dull red. S - pale red tipped green. C - bright red. Long flowers. Large sage green foliage. Likes warm conditions.
- F. fulgens*
var. *gesneriana* (Ellobium) (Barbet 1836 - Guatemala) T, S & C - pale orange. Long flowers.
- F. fulgens*
var. *rubra grandiflora* (Ellobium) (Henderson 1880) T - orange salmon. S - orange with dull green tips. C - orange scarlet. Long flowers 3.5" Larger. foliage than *F. fulgens*.
- Fulgens** variegated T, S & C - pale orange. Leaves are variegated green and ivory white. Lax upright growth. Sport from unknown fulgens hybrid.
- F. gehrigeri* (Fuchsia) (Gehriger 1930 - Venezuela) T - red and narrow. S - red. C - brighter scarlet. Spreading growth.
- F. glazioviana* (Quelusia) (Taubert 1892 Brazil) T & S - pinky red. C - purple. Short jointed growth. Will make a good sized plant.
- F. hartwegii* (Fuchsia) (Bentham 1845 - Colombia) T & S - orange red. C - bright red. Small flowers in terminal clusters. Medium green foliage.

- F. hatschbachii* (Quelusius) (Berry 1989 - Brazil) T & S - red. C - violet. Dark green glossy foliage. Spreading habit.
- F. lycioides* (Kierschlegeria) (Andrews 1800 - Chile) T - pinky rose. S - pink, rose coloured underneath, tipped green. C - cerise. Small flowers that may be low on the branches. Stiff upright growth with spiny stems. Dislikes overwatering.
- F. magellanica* (Quelusius) (Chile) T - white. S - white flushed pale mauve. C - white flushed pale mauve. Small free flowers. Hardy.
- var. *alba*
- F. magellanica* (Quelusius) T & S - red. C - purple. Small flowers. Small golden yellow foliage with crimson veins. Spreading habit. Best in sunny position. Hardy.
- var. *aurea*
- F. magellanica* (Quelusius) T & S - red. C - purple. Cone shaped tube. Hardy.
- var. *conica*
- F. magellanica* (Quelusius) T & S - deep pinky red. C - mauve. Hardy.
- var. *discolor*
- F. magellanica* (Quelusius) (Potney 1840) T & S - scarlet red. C - purple. Foliage light green, cream and pink. Upright and bushy but not so tall as other variants. Hardy.
- var. *gracilis tricolor*
- F. magellanica* (Quelusius) (Young 1830 - Chile & Peru) T & S - scarlet. dark purple. Bronze to reddish cast on foliage.
- var. *riccartonii*
- F. microphylla* (Encliandra) (Breedlove 1969) T, S & C - deep pink. Small dark green glossy foliage.
- subsp. *aprica*
- F. obconica* (Encliandra) (Breedlove 1969 - Mexico and Central America) T, S & C - white. Tiny flowers singly in the leaf axils. Black shiny berries. Lightish green foliage. Strong bushy growth.
- F. paniculata* (Schufia) (Lindley 1856 - Mexico to Panama) T - rosy purple cylindrical shaped. S - rosy purple C - lavender. Small flowers held erect. Deep lustrous green foliage slightly serrated.
- F. perscandens* (Skinnera) (Cockayne & Allen 1927 - New Zealand) T - pale green, purple at base. S - pale green, spreading. C - black purple. Heart shaped medium green leaves. Creeping slender growth.
- F. petiolaris* (Fuchsia) (Humboldt & Bonpland 1823 - Colombia) T - long bright pink. S - bright pink tipped green. C - bright pink. Growth is strong and shrubby.
- F. procumbens* (Procumbentes) (Cunningham 1839 - New Zealand) T - greenish yellow, red at base. S - green tipped purple, reflexed completely back on tube. No corolla. Blue pollen. Small heart-shaped leaves. Creeping growth. Hardy in most areas.
- F. procumbens* Same flowers and growth habit as *F. procumbens* but the green foliage has creamy white edges.
- var. *Wirral*
- F. regia* ssp. *regia* (Quelusius) (Vellozo 1829 - Brazil) T & S - red. C - purple.
- F. regia* ssp. *reitzii* (Quelusius) (Berry 1989 - Brazil) T & S - red. C - purple. Bushy growth. Hardy.
- F. regia* (Quelusius) (Berry - Brazil) T & S - red. C - purple. Attractively marked grey/green foliage.
- (Berry 4542)

- F. sanctae-rosae* (Fuchsia) (Kuntze 1898 - Southern Peru & Bolivia) T, S & C - orange red. Flowers numerous in leaf axils. Green leaves with slight metallic sheen.
- F. scabriuscula* (Fuchsia) (Bentham 1845 - Ecuador) T & S - bright red. C - darker red. Low spreading habit.
- F. splendens* (Ellobium) (Zuccarini 1832 - Costa Rica) T - rose to vivid scarlet. S - green with reddish base. C - pale green. Flowers borne singly have a unique flattening to the tube. Mid green ovate foliage. Lax upright shrub.
- F. splendens* var. *cordifolia* T - yellow to amber. S - green. C - yellow. Tube is quite long, flattened and slightly curved. Spreading growth.
- F. triphylla* (Fuchsia) (Plumier 1703 - Hispaniola) T & S - bright orange. C - orangy red. Foliage dark bronzy green purple underneath.
- F. xcolensoi* (Skinnera) (Hooker 1867 - New Zealand) Natural hybrid of *F. excorticata* x *F. perscandens*. T - green & purple. S - pale green. C - blackish purple. Blue pollen. Foliage medium green, straggly.
- F. xcolensoi* var. *purpurescens* (Skinnera) The same as above but foliage is purple green. Slightly more rampant than the green leaf type.

COLLECTOR'S CORNER

Over the past few years many interesting and unusual fuchsias have emerged and this trend looks set to continue as even more of the species are used in hybridizing programmes.

If you are not familiar with this type of Fuchsia and are thinking of ordering, please be aware that many of them, because of their close relationship to the original species, will require frost protection during the winter and perhaps not necessarily perform as you might expect. Some are easy to grow, some flower very well while others are sparse and a little more temperamental, but they all have their own special charm and if you like something a little different and challenging then give them a try.

For those interested the **“Interspecific Hybrids”** have an * by their name.

- ALBERTUS SCHWAB* (Schwab 1994) Hybrid of *F. hartwegii* x *F. crassistipula*. Single. T & S - bright orangy red. C - orangy red tipped green. Upright self-branching growth.
- ALL SUMMER BEAUTY (de Cooker 2014) (S) T&S - white. C - redish purple.
- ANDREAS SCHWAB* (Schwab 1995) Hybrid of *F. venusta* x *F. wurdackii*. Single. T, S & C - orange. Large long flowers. Vigorous growth.
- ANITA de KEIJZER (Schwab 1998) Hybrid of *F. vulcanica* x *F. campi*. Single. T, S & C - orange. Upright growth.
- ASHLEY* (Dijkstra 1992) Hybrid of *F. decussata* x *F. sanctae-rosae*. Single. T & S - red. C - orange. Growth upright.
- ATAHUALPA T, S & C - deep red. Long flowers 3" Sturdy upright growth.
- BABY CHANG (Hazard & Hazard 1950) Single. T - reddish orange. S - green. C - bright orange. Self branching.

BEN-DE-JONG	(Van den Bergh 1994)) Hybrid of - Fuji-san x <i>F. dependens</i> . Single. T - rose. S - green. C - bright orange. Upright growth.
BERGNIMF	(Appel 1981) Single. T & S bright rose red. C - red. Upright.
BUGLE BOY	(Jones 1991) Single. T - orange to red. S - dark orange. C - bright orange. Trumpet type flowers. Spreading growth.
BUSTER	(Kimberley 2002) Single. T, S, & C - bright crimson. Long waxy flowers. Sturdy growth. Will make a large plant.
CINVENU*	(Beije 1991) Hybrid of <i>F. cinerea</i> x <i>F. venusta</i> . Single. T & S - light orange. C - dark orange.
COTTA BRIGHT STAR	(Bielby/Oxtoby 1994) Single. Hybrid of <i>F. denticula</i> x Fanfare. T & S - deep fluorescent pink. C - orange. Strong upright.
COTTA CHRISTMAS TREE	(Bielby/Oxtoby 1999) Single. T & S - red tipped green. C - orange. The habit of growth gives this plant it's name.
DARYN JOHN WOODS	(Goulding 2000) Single. T & S - fluorescent purple. C - deeper shade of purple. Late flowering.
DE GROOTES FLORIENT	(De Groot) T,S,& C - Scarlet. Dark green foliage. Upright.
DOMINIYANA*	(Dominy 1852) Single. Hybrid of <i>F. macrostigma</i> x <i>F. denticulata</i> . T - long rich scarlet. S & C - small rich scarlet. Dark bronzy purple foliage. Very late flowering.
ELMA	(Van den Bergh 1990) Single. T - aubergine with green stripes. S - aubergine with green tips. C - bright aubergine to red.
FANFARE *	(Reiter 1941) Single. Hybrid of <i>F. denticulata</i> x <i>F. leptopoda</i> . T & S - scarlet. C - turkey red. Strong upright.
FIRST SUCCESS *	(Weeda 1985) Hybrid of <i>F. splendens</i> x <i>F. paniculata</i> . T, S & C - pink. Small flowers. Vigorous growth.
FRANS BOERS	(de Cooker 2016) (S) T - pink with green pinch. S - pale pink. C- orange.
FRANS VAN ZON	(Dutch 2003) Single. T, S & C - fluorescent purple. Similar to Daryn John Woods but with different foliage.
FROZEN TEARS	(de Cooker 2011) (S) T & S - rose. C - dark redish purple.
FULPILA*	(Beije 1997) Single. Hybrid of <i>F.fulgens</i> x <i>F. pilaloensis</i> . T & S pale pinky orange. C - darker orange. Upright. Flowers well.
HANNS CALLAARS	(De Keijzer 1998) Single. T, S & C - orangy red. Small flowers. Shrubby growth.
HIGHLAND PIPES *	(De Graaff 1983) Single. Hybrid of <i>F. arborescens</i> x <i>F. venusta</i> T & S - magenta. C - opens pink matures darker. Upright
HINNERIKE *	(Bogemann 1987) Single. Hybrid of <i>F. cylindracea</i> x <i>F. magdalenae</i> . T, S & C - bright reddish orange.
ICICLES CHANDELIER	(de Cooker 2016) (S) T & S - creamy white. C - pale pink.
JUNGLE	(Sint 1992) Single. T & S - purplish red tipped green. C - orangy red. Fulgens growth habit.
KAT JAN	(Carless 1994) Single. T & S - dark red. C - rosy purple. Very small flowers slightly larger than Rosea.
LECHLADE BULLET	(Wright 1984) Single. T & S - peachy pink tipped green. C - red. Flowers shaped like a bullet. Upright growth.
LECHLADE GORGON *	(Wright 1985) Hybrid of <i>F. paniculata</i> x <i>F. arborescens</i> . T & S - rosy purple C - pale mauve. Tiny flowers in loose panicles. Large deep green foliage.

LECHLADE POTENTATE *	(Wright 1984) Single. Hybrid of <i>F. splendens</i> x <i>F. magdalenae</i> . T - reddish brown. S - red with green tips. C - orange.
LECHLADE TINKERBELL*	(Wright 1977) Hybrid of <i>F. arborescens</i> x <i>F. thymifolia</i> subsp <i>thymifolia</i> . T - white. S - pale pink. C - pale lavender blue.
LECHLADE VIOLET*	(Wright 1984) Hybrid of <i>F. paniculata</i> x <i>F. colensoi</i> . T - olive green. S - pale violet. C - blackish purple.
LESLIE BOWMAN	(Morrison 2010) Encliandra/paniculate crossover. Fern like foliage with clusters of small flowers opening light purple aging to a dark purple. Suitable for fans , espaliers, pillars etc.
LITTLE ORPHAN ANNIE	(Bielby/Oxtoby/McManus/Tickner 1999) (S) T - deep redish purple. S - green. C - dark purple. Lax Growth.
LORD JIM	(Dobson 2000) Single paniculate type flowers. Reddish purple. Upright growth .
MANDI *	(Bielby/Oxtoby 1995) (S) Hybrid of <i>F. triphylla</i> x <i>F. vargasiana</i> . T, S & C - orange. Flowers in terminal whorls. Upright.
MAORI PIPES	(de Graaff 1985) Single. T & S - aubergine red. C.- dark aubergine. Upright.
MARTINS INSPIRATION	(Beije 2001) Single paniculate type. T & S - pale orange. C - dark orange maturing to mauve. Upright self-branching.
MARTINS YELLOW SURPRISE*	(Beije 1994) Hybrid of <i>F. pilaloensis</i> x <i>F. fulgens</i> . Single. T - pale peach. S - green. C - greeny yellow.
MIEP AALHUIZEN *	(De Graaff 1987) Single. Hybrid of <i>F. arborescens</i> x <i>F. venusta</i> . T & S - magenta. C - opens pink matures darker. Upright.
NECK	(Dutch 2010) A compact paniculate type hybrid. Mauve flowers.
NIULA *	(Tickner 1997) Single. Hybrid of <i>F. nigricans</i> x <i>F. crassistipula</i> . T - long dull red. S - tiny dull red. C - small black purple.
NONCHALANCE	(De Graaff 2000) Single. T,S & C - rosy pink. Upright.
NORTHUMBRIAN PIPES*	(De Graaff 1983) Single. Hybrid of <i>F. magdalenae</i> x <i>F. paniculata</i> . T & S - red rose. C - light lilac rose.
NUANCE	(De Graaff 2000) Single. T & S - pinky red. C - dark red. Upright.
PANACHE	(De Graaff 1991) Single. T, S & C pink. Upright growth.
PANIQUE	(De Graaff 2001) Single. T & S - pale orchid pink tipped green. C - deep pink. Paniculate type small flowers in clusters.
PANYLLA PRINCE	(Drapkin 1988) T & S - reddish purple. C - light purple. Upright growth. Profuse small encliandra type flowers.
PHAENNA	(de Cooker 2016) (S) T,S & C - light pink.
PHAIDRA	(De Cooker) Single. T, S & C - shiny deep pink flowers cylindrical in shape. Unusual colour. Upright.
PIET VAN DER SANDE	(Beije 2002) Single. T & S pink mauve. C - mauve red. Paniculate type. Growth strong upright.
PINK CORNET *	(Wright 1981) Hybrid of <i>F. boliviana var alba</i> x <i>F. boliviana</i> . T - pink, paler at base. S - pink, deeper underneath. C - rosy carmine. Vigorous growth.
REMEMBERING CLAIRE	(de Cooker 2009) (S) T & S light rose. C - redish purple.
RENE SCHWAB*	(Schwab 1995) Hybrid of <i>F. furfuracea</i> x <i>F. venusta</i> . Single. T, S & C - deep red. Vigorous.
RIJS 2001*	(De Boer 2002) Hybrid of <i>F. obconica</i> x <i>F. splendens</i> . Single. T - white with pink veining. C - white. Flowers well.

ROGER de COOKER	(De Cooker 1999) Single. T & S - white. C - rose pink.
SCARLET JESTER	(de Cooker 2011) (S) T & S dark red. C - dark rose
SHUNA LINDSAY	(Travis 1980) (S) T & S - pink tipped green. C - reddish orange. Upright growth.
SPACE SHUTTLE	(De Graff 1981) Hybrid of <i>Speciosa</i> x <i>F. splendens</i> . Single. T - red. S - red with yellow green tips. C - red, opening yellow with orange base. Will flower over a long period.
SPECIOSA *	Hybrid of <i>F. splendens</i> x <i>F. fulgens</i> . Single. T - red. S - red with green tips. C - orange. Flowers freely. Strong upright growth.
STRAAT FUTAMI	(De Boer 2005) Single Encliandra type. T & S - light pink. C - creamy white. Growth upright and wiry.
STRAAT KOBE	(De Boer 2004) Single. T - salmon orange. S - orange tipped green. C - dark salmon pink.
STRAAT LA PLATA	(De Boer 2005) Single paniculate type. T, S & C - pink. Growth strong and spreading.
STRAAT OF PLENTY*	(De Boer 2002) Hybrid of <i>F. paniculata</i> x <i>F. obconica</i> . T, S & C - pinky lilac. Lax growth.
TACO	(De Boer 1998) Single. T - orange to red. S - orange with green tips. C - bright orange. Growth upright. Makes a large plant.
TARRA VALLEY *	(Felix 1987) Hybrid of <i>F. colensoi</i> x <i>F. splendens</i> . Single. T & S - waxy green. C - dark plum. Upright growth.
TJINEGJARA*	(De Boer 1997) Hybrid of <i>F. splendens</i> x <i>F. ravenii</i> . T, S & C - deep red. Spreading growth.
TON GOEDEMAN	(Mia Goedeman) Single paniculate type. T & S - creamy white. C - soft lilac. Upright growth.
TON TEN HOVE	(Unknown) Single. T & S - vivid deep pink. C - deeper shade of pink. Bronze yellow foliage when in good light. Needs stopping early to make shape.
TRIENTJE*	(Bogemann 1992) Hybrid of <i>F. cylindracea</i> x <i>F. paniculata</i> . T, S & C - lavender. Strong upright growth.
TUBULAR BELLS*	(Bielby/Oxtoby 2002) Hybrid of <i>F. triphylla</i> x <i>F. magdalenae</i> . T, S & C - bright orange. Long tube. Flowers in racemes. Bush.
VENDETA	(Blaber 2002) Hybrid of <i>F. venusta</i> x <i>F. denticulata</i> . Single. T - deep dull red. S - red tipped green. C - mandarin orange.
WALZ FANCLUB	(Waldenmair 2000) Single. T & S reddish purple. C - dark orange with extensive violet margin. Upright.
WALDIS SPEZI	(Dietrich 1997) Single. T & S - orange tipped green. C - orange. Flowers curve and face outwards. Strong upright growth.
WALZ LUCIFER	(Waldenmaier 1992) Hybrid of <i>Rosea</i> x <i>F. fulgens rubra grandiflora</i> . Single. T & S - salmon. C - tomato red. Upright.
WALZ PANFLUIT	Single. T & S - orange. C - orange. Dark foliage.
WALZ POLKA	(Waldenmaier 2000) Single. T & S - yellow. C - dark red. Wiry growth habit.
WAPENVELD'S BLOEI	(Kamphuis 1991) Hybrid of <i>F. arborescens</i> . x Baby Chang. T & S - rose pink, recurving. C - pinky orange. Single paniculate type flowers. Spreading growth with many side shoots.
WAPENVELD'S 150	(Kamphuis 1993) Paniculate type flowers. T & S light violet. C - white violet. Spreading growth with many side shoots.
WHITTON STARBURST*	(Tickner) Single. Hybrid of <i>F. decussata</i> x <i>F. denticulata</i> . T - red. S - green. C - orange. Spreading upright growth.

WINTER HAS PAST	(de Cooker 2016) (S) T&S white C- light pink.
WILHELMINA SCHWAB*	(Schwab 1996) Single. Hybrid of <i>F. venusta</i> x <i>F. hartwegii</i> T & S - red C - orange. Thin flowers.
WILMA VAN DRUTEN	(Koerts 1997) Single. T & S - candy pink tipped green. C - red. Upright growth.
YELLOW HEART	(de Boer 2005) Single. T&S - pale pink. C - butter yellow. Upright and vine like growth.

ENCLIANDRAS - SPECIES & HYBRIDS

For a full description of the species Encliandras please refer to the Species section of the Catalogue.

ALAN JACKSON	(Evans 2004) T, S, & C - orangey red. Strong grower. Upright.
BRYAN BREARY	(Breary 1995) T, S & C - pink. Quite large flowers for this type. Shrubby growth.
CORAL BABY	(Drapkin 1989) T, S & C - bright orange. Upright growth.
<i>F. microphylla</i>	For descriptions see species section.
FIONA PITT	(Saunders 1989) T, S & C - shades of pink.
GINA BOWMAN	(B.C. Morrison 2004) Chance seedling from Marlies de Keijzer. Pinky red flowers and silvery green foliage.
JIDDLES	(Iddles) T, S & C - white. Pale green leaves.
JUST PINK	(Strickland 1997) T, S & C - pink. Ideal for small pots work.
KAREN ISLES	(Strickland 1997) T, S & C - red. Large flowers for this type.
KATINKA *	(Goedman 1989) Hybrid of <i>F. ravenii</i> x <i>F. microphylla</i> subsp. <i>microphylla</i> . T,S & C - bright scarlet. Larger than average flowers.
LOTTIE HOBBY	(Edwards 1839) T, S & C - deep red. Bushy growth.
LITTLE JESSICA	(Garcia 2014) T, S, & C - white. Self branching, will make a good shape.
LOXHORE LULLABY	(Wright 1987) T, S & C - bright pink.
MARLIES de KEIJZER*	(de Keijzer 1999) Hybrid of <i>F. encliandra</i> x <i>F. thymifolia</i> subsp. <i>thymifolia</i> . Red flowers and silvery green foliage.
MICROCHIP	(Fleming 1990) T & S - pink. C - paler pink.
MIEKE SARTON	(de Keijzer 1995) T, S & C - pale orange. Upright.
MRS LEE BELTON	(Morrison 2006) T,S & C - red. Upright. Flowers well.
NICKI FENWICK-RAVEN	(Morrison 2008) (B.F.S Reg No. 41) Flowers start white ageing to pink then red. It is possible to see all three colours on the plant at the same time.
OBCYLIN*	(Beije 1999) Hybrid of <i>F. obconica</i> x <i>F. cylindracea</i> . T, S & C peach. A good colour for this type. Self branching.
O' CAROL	(Strickland 2008) T & S & C pale pink.
OOSJE*	(Van de Grijp 1973) Hybrid of <i>F. cylindracea</i> x <i>F. microphylla</i> subsp. <i>microphylla</i> . T & S - red. C - white ageing to red. Small flowers.
OULTON EMPRESS	(Payne 1998) T, S & C - pinky white. Mid green glossy leaves. Upright

OULTON RED IMP	(Payne 1998) T, S & C - red. Mid green glossy leaves. Upright.
OULTON TRAVELLERS REST	(Payne 1998) T, S & C - pink. Medium to large flowers. Dark green glossy foliage.
ORANGE STAR	(Robson 2002) T, S, & C - Orange. Upright growth.
RADINGS GERDA	(Reimann 1984) T, S & C - lavender. Upright growth.
RADINGS MICHELLE	(Reimann) T, S, & C - pinky white. Mid green glossy leaves.
T.S.J	(Strickland 1997) T, S & C - red. Good all rounder.
WALDFEE	(Travis 1973) T, S, & C lilac pink. Upright vigorous grower

TRIPHYLLA HYBRIDS AND TYPES

Please note not all these varieties will be eligible to show in the triphylla class.

Please check with your individual show schedule.

ADINDA	(Dijkstra 1995) T - salmon. S - lighter shade of salmon C - salmon. Foliage sage green. Upright and self branching.
BESSIE KIMBERLEY	(Kimberley 2001) T, S & C - scarlet red. Dark foliage. Ideal for small pot class.
BILLY GREEN	(British 1966) T - pinkish salmon and long. S & C - pinkish salmon. Olive green foliage.
BORNEMANN'S BESTE	(Bonstedt) T, S & C - orange-red. Strong growing. Terminal flowering.
BOY MARC	(Stannard 1995) T, S & C - orange. Compact plant with long lasting flowers.
BRIAN C. MORRISON	(Stannard 1993) T & S - rose red. C - bright orange. Upright. Terminal flowering.
BRIAN KIMBERLEY	(Goulding 1999) T, S & C - pale orange. Upright. Show plant.
CATHARINA	T & S - red. C - dark red. Dark reddish brown foliage. Growth upright.
CHANNY PARK	(Stannard 1993) T & S - orangy red. C - bright scarlet. Suitable for baskets. Terminal flowering.
CHRISTMAS GEM*	(German date unknown) <i>F. triphylla</i> x <i>F. serratifolia</i> T & S - reddish vermilion. C - orange. Compact plant.
CORNELIA SMITH	(Smits 1995) T & S - pinky red. C - deeper pinky red.
DORRIAN BROGDALE	(Goulding 1994) T & S - pink with orange. C - pink overlaid with orange. Lax growth. Terminal flowering.
ELFRIEDE OTT	(Nutziger 1976) T, S & C - salmon pink.
FABIAN FRANCK	(Franck 1991) T & S - rose. C - orange. Bushy upright.
FLOGMAN	(Netherlands 2006) T, S & C - redish orange. Upright./
FREDERICK WOODWARD	(Kimberley 2005) T - white. S - white with red tips. C - pinky red. Strong upright growth, will make a large plant.
FUCHSIARAMA 91	(Stannard 1991) T, S & C - pink.
GARTENMEISTER BONSTEDT	(Bonstedt 1905) T, S & C - orange brick-red. Dark bronzy-red foliage. Terminal flowering.
GOLDEN ARROW	(Goulding 1985) T - orange, long and thin. S - green. C - tangerine. Trailing growth. Terminal flowering.

HIROSHIGE	(Bogemann 1992) T & S - dark red. C - magenta. Makes a large upright bush.
INSULINDE	(de Graaff 1991) T & S - red orange. C - dark orange. Bronzed green foliage. Bushy upright. Terminal flowering.
JAP VAN'T VEER	(Smits 1994) T, S & C - pinky red. Sturdy upright growth. Terminal flowering.
JILL HOLLOWAY	(Kimberley 2006) T & S - dark pink. C - Red. Growth strong and spreading. Good for baskets.
JOHN MAYNARD SCALES	(Goulding 1985) T, S & C - clear orange. Large sage green foliage. Strong upright growth. Terminal flowering.
KORALLE *	(Bonstedt 1905) (<i>F. triphylla</i> x <i>F. fulgens</i>) T, S & C - salmon orange. Long tube and short petals. Foliage deep sage green.
LARK	(Goulding) T&S = light orange C - orange Lax growth.
LEN BIELBY	(Oxtoby 1987) T - scarlet. S - currant red. C - mandarin red. Upright and vigorous. Terminal flowering.
LEE ANTHONY	(Goulding 1994) T - pinky white. S - white. C - Pinky red.
LESLEY	(Howard 1966) T, S & C - dark pink. Flowers have a waxy texture.
LEVERKUSEN	(Rehnelt 1928) T, S & C - rosy cerise. Free flowering.
LONG DISTANCE	(de Cooker 1993) T & S - red. C - light rose red. Long flowers.
MARY *	(Bonstedt 1894) (<i>F. triphylla</i> x <i>F. boliviana</i>) T, S & C - brilliant scarlet red. Foliage dark green with reddish purple veins.
MANTILLA	(Reiter 1948) T, S & C - deep carmine. Trailing.
MONICA DARE	(Goulding 1999) T & S - bright orange. C - brownish orange. Growth upright and self branching. For medium sized pots.
ROOS BREYTENBACH	(Stannard 1993) T & S - pinky red. C - orangy red, pleated petals. Terminal flowering
SPARKY	(Webb 1994) Hybrid of <i>F. Procumbens</i> x <i>Thalia</i> . T, S & C - very dark red with yellow green tips. Flowers small and cylindrical in shape. Foliage very dark green. Short jointed
STELLA ANN	(Baker-Dunnett 1974) T - poppy red. S - coral tipped green. C - Indian orange. Foliage olive green with red veins.
STONEHENGE	(Koerts Tielko G 2012) T&S - dark rose C - red. Upright.
THALIA	(Turner 1855) T, S & C - rich orange scarlet. Foliage olive green veined magenta. Upright, terminal flowering.
TIMOTHY TITUS	(Goulding 1998) T & S - dusky orange. C - orange with a hint of brown. Growth sturdy and upright. Self branching.
TRAUDCHEN BONSTEDT *	(Bonstedt 1905) (<i>F. triphylla</i> x <i>F. fulgens</i>) T, S & C - creamy pale salmon. Light green foliage. Terminal flowering.
TRUMPETER	(Reiter 1946) T, S & C - pale geranium lake. Long flowers in clusters. Foliage bluish green. Makes an excellent basket.

HARDY VARIETIES

The hardy Fuchsia is probably seen at its best when planted in borders as individual dot subjects amongst other types of plants. They have a height range from approx. 12" to 48" which means they can be positioned at the front, centre or back of the border for good effect. Flowering time is from July until the first frosts

For the best results, plant out at the end of May after the danger of frosts has passed. Ideally use plants in 1ltr pots or larger but at this time of year, with a long season to establish, plants in 10cm pots can be used. Plant the rootball 3" below the soil surface in a saucer shaped depression and backfill as the lower wood becomes harder. Keep watered if the summer should be dry. Prune the following spring.

Also see the hardy Fuchsia magellanica variants in the species section.

ACHIEVEMENT	(Melville 1886) (S) T & S - reddish cerise. C - reddish purple. Medium to large blooms. 24"
BARBARA	(Tolley 1971) (S) T & S - pale pink. C - tangerine pink.
ALICE DORAN	(Doran 1996) (S) T & S - pinky red. C - burgundy. Prolific blooms. 24"
ALICE HOFFMAN	(Klese 1911) (SD) T & S - rose. C - white with rose veining. 18"
BABY BLUE EYES	(Plummer 1952) (S) T & S red. C - dark lavender. 18"
BASHFUL	(Tabraham 1974) (D) T & S - deep pink. C - white veined pink. Ideal for rockeries. 18"
BEACON	(Bull 1871) (S) T & S - scarlet. C - mauvish-pink. 24"
BEACON ROSA	(Burgi-Ott 1972) (S) T & S - deep pink. C - pink. 24"
BEAUTY OF EXETER	(Letheren 1890) (SD) T & S - rosy salmon. C - deep salmon. 24"
BERNISSER HARDY	(Weeda 1987) (S) T & S - red. C - purple. Profuse flowers. 18"
BLUE TIT	(Hobson 1982) T & S - red. C - vivid violet 18"
BORDER QUEEN	(Ryle 1972) (S) T&S- flesh pink tipped green.C-amethyst. 30"
BRUTUS	(Lemoine 1897) (S) T & S - crimson. C - deep purple. 24"
CARDINAL FARGES	(Rawlins 1958) (SD) T & S - cerise. C - white. 15"
CHILLERTON BEAUTY	(Bass 1847) (S) T & S - pale rose pink. C - mauvish-violet. 36"
CLIFFS HARDY	(Gadsby 1966) (S) T & S - crimson tipped green C - campanula violet. 24".
CLIFTON CHARM	(Handley 1981) (S) T & S - red. C - deep lilac. 24"
CONSTANCE	(Berkeley Nurseries 1935) (D) T & S - soft pink. C - bluish mauve tinted pink. 30"
DAVID	(Wood 1937) (S) T & S - cerise. C - rich purple. Small flowers but free. 24"- 36"
DISPLAY	(Smith 1881) (S) T & S - rose pink. C - cerise pink, opening bell-shaped. Self-branching and free flowering. 24"
DOC	(Tabraham 1974) (S) T & S - red. C - Pale purple. 18"
DOLLAR PRINCESS	(Lemoine 1912) (D) T & S - cerise. C - rich purple. Self-branching and bushy. 24"
DOROTHY	(Wood 1946) (S) T & S - bright crimson. C - violet. 36"

EDITH	(Brown 1980) (SD) T & S - rose. C - lilac. 48"
FALKLANDS	(Dunnett 1984) (SD) T & S - white blushed pink. C - purple. 30"
FLASH	(Hazard & Hazard 1930) (S) T & S - light magenta. C - red. Small profuse flowers. Vigorous upright growth. 48"
FLASHLIGHT	(Gadsby 1968) (S) T & S - pale pink. C - pale rose purple. 24"
GARDEN NEWS	(Handley 1978) (D) T & S - frosty rose pink. C - magenta rose with rose pink base. Tall and vigorous. 36"
GENII	(Reiter 1951) (S) T & S - cerise. C - dark purple. Yellow/green foliage. 30"
GRAYRIGG	(Thornley 1978) (S) T - white. S - white tipped green. C - soft pink. 36"
HAWKSHEAD	(Travis 1962) (S) T & S - white flushed green. C - white. Vigorous growth. 36"
HERALD	(Sankey 1887) (S) T & S - scarlet. C - deep purple. 24"
JAMES TRAVIS	(Thorne 1960) (D) T & S - bright red. C - rich clear blue. Early and free flowering. 24"
LADY BOOTHBY	(Rafill 1939) (S) T & S - strong red. C - blackish purple. Dark green foliage. Rambling habit. 48"
LECHLADE MAGICIAN	(Wright 1986) Single. T & S - deep red. C - purple. Has blue pollen. 36"
LOXHORE HERALD	(Wright 1984) (S) T & S - shiny red. C - purple. Very floriferous. Waxy foliage. 36"
MADAME CORNELISSEON	(Cornelissen 1860) (SD) T & S - red. C - white. 30"
MARGARET	(Woods 1937) (SD) T & S - carmine red. C - purple veined cerise. 48"
MARGARET BROWN	(Wood 1949) (S) T & S - rose pink. C - bright rose. Smallish flowers but very free. 36"
MAUVE BEAUTY	(Banks 1869) (D) T & S - bright red. C - dusky blue. 24"
MERLIN	(Adams 1982) (S) T & S - bright red. C - deep purple flashed and veined pink. Small flowers. Self-branching and upright. 24"
MRS. POPPLE	(Elliott 1899) (S) T & S - scarlet. C - violet purple. 30".
NICOLA JANE	(Dawson 1959) (D) T & S - cerise. C - blush pink, flushed and veined cerise. Self-branching and free flowering. 24"
PAM PLACK	(Plack 1998) (S) T & S - white. C - opens light shade of lilac pink and matures to a deeper shade of pink. 24"
PEGGY KING	(Wood 1954) (S) T & S - rosy red. C - peony purple. 48"
PHYLLIS	(Brown 1938) (SD) T & S - rosy red. C - slightly deeper shade of rosy red. Waxy flowers very free. 36"
PRESIDENT	(Standish 1841) (S) T & S - bright red. C - rosy magenta. Dark foliage. Spreading growth. 30"
PRODIGY	(Lemoine 1887) (SD) T & S - crimson. C - bluish purple. 36"
PROSPERITY	(Gadsby 1974) (D) T & S - waxy crimson. C - pale neyron rose, flushed and veined rose red. Free flowering. 48"
REMEMBRANCE	(Gubler 1995) (SD) T & S - rose. C - pale pink veined rose. Sport from Edith. 48"
ROSE OF CASTILE	(Banks 1855) (S) T & S - waxy white, tipped green. C - purple flushed rose, whitish at base. 36"

ROSE OF CASTILE IMPROVED	(Lane 1871) (S) T & S - pale pink tipped green. C - violet purple. 36"
RUFUS	(Nelson 1952) (S) T & S - bright red. C - bright red. Free flowering and vigorous. 30"
SEALAND PRINCE	(Walker 1967) (S) T & S - bright red. C - violet purple. Bushy. 24"
TENNESSEE WALTZ	(Walker & Jones 1950) (D) T & S - rose madder. C - lavender. 24"
SNOWCAP	(Henderson 1880) (SD) T & S - scarlet. C - snowy white with reddish veins. Very free flowering. Upright bush. 18" - 24"
WHARFDALE	(Unknown) (S) T & S - pale pink. C - light purple. 30"
WHITEKNIGHTS PEARL *	(Wright 1980) Hybrid of <i>F. magellanica</i> var. <i>alba</i> x <i>F. fulgens</i> . (S) T - thin and white. S - pale pink. C - clear pink. Small dainty flowers. Small dark green foliage. 36"

VARIETIES SUITABLE FOR BASKETS

AUNTIE JINKS	(Wilson 1970) (S) T - pinky red. S - white. C - cerise purple. Small flowers but profuse.
AUTUMNALE	(Meteor 1880) (S) T & S - scarlet. C - purple. Golden coppery red foliage. Horizontal growth habit.
BEAUTY OF TROWBRIDGE	(Lye 1881) (S) T & S - waxy creamy white. C - rosy cerise. Medium sized flowers, early and very free.
CASCADE	(Lagan 1937) (S) T & S - white flushed carmine. C - deep carmine.
CECILE	(Whitfield 1981) (D) T & S - deep rose. C - deep carmine.
CLAUDIA	(Sinton 2000) (D) T, S & C - Pinky white.
COACHMAN	(Bright 1910) (S) T & S - salmon pink. C - orange vermillion. Medium blooms in flushes
COTTA CAROUSEL	(Bielby/Oxtoby 2000) T & S - creamy pink. C - mauve with a strong red picotee edge. Flowers well.
DAISY BELL	(Miescke 1977) (S) T & S - pale orange tipped green. C - vermillion shading to orange at base. Small profuse flowers.
DANCING FLAME	(Stubbs 1981) (D) T & S - pale orange. C - orange carmine
DODO	(Lockerbie 1960) (S) T & S - white. C - redish purple.
DOROTHY ANN	(M. Allsop 2001) (S) T, S & C - shades of aubergine. Sepals twist and curl.
FROSTED FLAME	(Handley 1975) (S) T & S - white. C - bright flame. Self-branching and early flowering.
GORDON'S CHINA ROSE	(Gordon 1953) (SD) T & S - white flushed china-rose. C - lavender pink, deeper at edge, pink at base.
HIDCOTE BEAUTY	(Webb 1949) (S) T & S - creamy white. C - pale salmon pink.
IRENE L. PEARTREE	(Peartree 1993) (D) T & S - pink with green tips C - pink. Sport from Swingtime.
JACK SHAHAN	(Tiret 1948) (S) T & S - pale rose bengal. C - rose pink. Medium sized blooms.
JESS	(Meier 1987) (S) T & S - deep rose. C - vivid cerise.

MARGARET BIRD	(Shaffery 2005) (D) T - white with pink veins. S - pink on top, peachy pink with crepe effect underneath. C - lavender pink.
MARINKA	(Rozain-Boucharlat 1902) (S) T & S - rich red. C - slightly darker red. Medium sized compact blooms.
SALMON CASCADE	(Bielby/Oxtoby 1991) (S) T - dark salmon. S - pale pink, shading to white. C - deep orange red.
SHIRLEY HALLADAY	(Bielby/Oxtoby 1996) (D) T & S - creamy white with pale purple flush. C - deep purple maturing to rich wine.
SWINGTIME	(Tiret 1950) (D) T & S - scarlet. C - white with scarlet veining. Very full fluffy blooms.
SYLVIA BARKER	(Barker 1973) (S) T & S - white. C - smokey red. Free flowering. Makes a good show basket.
VINTAGE DOVERCOURT	(Goulding 2004) (D) T & S - light aubergine. C - darker aubergine. Large flowers.
WAVENEY GEM	(Burns 1985) (S) T & S - white. C - pink with mauve flush.
WILSON'S SUGAR PINK	(Wilson 1979) (S) T & S - creamy pink. C - silver pink. Pale green foliage.
WINDHAPPER	(van Moerman 1991) (S) T - cream. S - white with rose veining. C - rosy purple violet at base. Vigorous natural trailer.

GENERAL LIST BUSH VARIETIES

ALAN TITCHMARSH	(Weston 1998) (S/SD) T & S - rose pink. C - pale pink.
ALISON PATRICIA	(Johns 1990) (S) T - red. S - pink. C - violet
ANNABEL	(Ryle 1977) (D) T & S - white. C - white.
ANN H TRIPP	(Clark 1982) (S) T&S - white flushed pink. C - white
ANNIE M.G. SCHMIDT	(Krom 1996) (S) T & S - purple red. C - white veined pink
BLAND'S NEW STRIPED	(Bland 1872) (S) T & S - cerise. C - purple stripped pink.
BOOGIE WOOGIE	(Waving 2016) (S) T&S - rose bengal. C - spectrum violet lighter at base with rose veining. Compact free flowering plant.
BROOKWOOD BELLE	(Gilbert 1988) (D) T & S - deep cerise. C - white flushed pale pink with deep rose veining. Free flowering. Bushy growth.
CARELESS WHISPER	(de Cooker 2000) (S) T - reddish pink. S - white with pink flush. C - lilac pink. Strong upright growth.
CELIA SMEDLEY	(Roe 1970) (S) T & S - white with a green tinge. C - vivid currant red. Eyecatching variety.
CHANDLERII	(Chandler 1839) (S) T & S - creamy white. C - orangey red.
CHANTELLE GARCIA	(Garcia 2010) (D) T&S - pale pink. C - deep lavender.
CHANG	(Hazard 1946) (S) T & S - orange red tipped green. C - brilliant orange. Small flowers. Needs careful training.
CHECKERBOARD	(Walker & Jones 1948) (S) T - carmine. S - red shading to white. C - red, white at base. Long flowers in profusion.
CROSBY SORROPTOMIST	(Clark) (S) T & S - light pink. C - white.
DAVID SAVAGE	(Hobbs 2001) (SD) T & S - deep pink. C - very pale lavender almost white, heavily veined deep pink.

DELTA'S GROOM	(Vreeke / van't Westeinade 1993) (S) T & S - purple. C - aubergine. A striking variety.
DELTA'S SARAH	(Vreeke / van't Westeinade 2002) (SD) T&S - white. C - blue.
DIAMOND WEDDING	(Holmes1989) (S) T&S dark pinky red. C - light purple.
DYING EMBERS	(S) T & S - aubergine red. C - dark aubergine. Small flowers.
EMILY EVE	(Waving 2015) (D) T&S - deep rose. C - palest pink with distinct veining.
FRANK SAUNDERS	(Dyos 1984) (S) T & S - white. C - lilac pink. Smallish flowers which push up and out. Small dark green foliage.
GRANDAD HOBBS	(Hobbs 2001) (D) T & S - deep pink. C - pale pink with pink veining. Upright and compact. Free flowering for a double.
GREENPEACE	(de Graaff 1981) (S) T & S - pale green tinged red. C - ivory.
IMOGEN FAY	(Garcia 2011) (D) T&S - creamy pink. C - lilac blue.
JEAN SHELTON	(Waving 2016) (S) Tube & Sepals - rose pink. Corolla - white with pink veining. Compact and short jointed.
JENNY MAY	(Bush 1998) (S) T & S - creamy pink. C - violet pink.
JOAN SMITH	(Thorne 1958) (S) T & S - flesh pink. C - soft pink. Vigorous.
KATE TAYLOR	(Greenaway 2003) (D) T & S - red purple. C - aubergine.
KOBOLD	(Gotz 1990) (S) T&S - rose. C - lilac blue.
LAURA	(Onbecend 1985) (S) T & S - light orange with greenish tips. C - reddish orange.
LETTY LYE	(Lye 1877) (S) T & S - flesh pink. C - carmine crimson.
LONDON 2000	(Weston 2000) (S) T & S - white flushed pink. C - cyclamen purple with carmine flush.
LONDON IN BLOOM	(J. Allsop 2002) (S) T & S - dark red. C - red flushed aubergine.
LONG WINGS	(Caunt 1985) (S) T - rose madder, long and thin. S - rose madder, long and twisting. C - violet blue.
LORD LONSDALE	(Unknown) (S) T & S - pale apricot tipped green. C - peachy orange.
LYES UNIQUE	(Lye 1886) (S) T & S - waxy white. C - salmon orange.
MACHU PICCHU	(de Graaff 1977) (S) T, S & C - orange. Lax upright growth.
MARIA MERRILLS	(Caunt 1989) (D) T & S - white flushed pink. C - white streaked with rose. Profuse blooms
MARGARET VISCOUNTESS THUSO	(Waving 2012) (S) T & S - white. C - white. Good show variety.
MARY POPPINS	(Need 1967) (S) T & S - pale apricot. C - orange.
MAX COBI	(Garcia 2017) (S) T&S - deep pink. C - palest pink. Compact.
MAXIMA	(Rohees 2001) (S) T & S - red purple. C - dark aubergine.
MICKY GOULT	(Roe 1981) (S) T & S - pink, held horizontal. C - mallow purple.
MINIROSE	(de Graff 1985) (S) T&S - creamy pink, C - cyclamen purple.
MRS. LOVELL SWISHER	(Evans & Reeves 1942) (S) T - pink. S - pinkish white. C - pale carmine red. Profuse small blooms.
MAXINE'S SMILE	(Waving 2012) (S) T & S - white. C - white. Good for show.

MY MUM	(Dobson 2000) (S) T & S - creamy rose. C - cerise. Strong grower producing many flowers.
NICKI'S FINDLING	(Ermel 1988) (S) T & S - light orange with a hint of rose. C - brighter orange red. Small flowers held upward and outward.
NORTHWAY	(Golics 1976) (S) T & S - pale pink. C - cherry red. Flowers small and profuse. Lax growth.
OLIVE SMITH	(Smith 1981) (S) T & S - carmine. C - rich crimson.
OTHERFELLOW	(Hazard 1946) (S) T & S - white tipped green. C - pink.
OUR TOPSY	(Holmes 1995) (S) - T&S deep pink. C - Lighter pink.
PAMS PEOPLE	(Weston 2000) (S) T & S - neyron rose tipped green. C - beetroot purple with a pale pink flush near the base.
PAULA JANE	(Tite 1975) (SD) T - venetian pink. S - carmine rose. C - beetroot purple. Self-branching and free flowering.
PINK FANTASIA	(Webb 1988) (S) T & S - pink. C - white petals shading to purple edges. Flowers held erect.
PRESIDENT PETER HOLLOWAY	(Garcia 2016) (D) T&S - pale pink. C - pale lilac. Good exhibition variety.
READING RUBY	(Garcia 2016) (S) T&S - red. C - reddish purple.
RIVENDEL	(Chapman 2009) (S) T & S - lavender pink.. C - aubegine/bugandy. Saucer shaped flowers.
ROYAL VELVET	(Waltz 1962) (D) T & S - crimson. C - luminous deep purple.
SIMON J ROWELL	(Rowell 1991) (S) T - dark rose. S - light pink. C - magenta. Spreading growth habit and short jointed.
STARDUST	(Handley 1973) (S) T & S - salmon pink. C - orange at base blending to crimson edges. Small prolific flowers
SYLVER SURFER	(Garcia 2015) T&S - pink. C - palest pink
TORCHLIGHT	(Pacey 1987) (S) T & S - brilliant red. C - white with crimson veining at base. Large flowers.
VERITY EDWARDS	(Dunnett 1985) (SD) T&S - cardinal red. C - plum purple.
VOODOO	(Tiret 1952) (D) T & S - dark red. C - deep purple.
WALZ BELLA	(Waldenmaier 1987) (S) T - orange crimson. S - red. C - scarlet.
WALZ JUBELTEEN	(Waldenmaier 1990) (S) T & S - flesh pink. C - salmon pink. Eye catching upward and outward pointing flowers.
WESTHAM	(Wilson 1994) (S) T & S - rosy pink. C - purple to magenta.
WILSONS COLOURS	(1991) (S) T & S - pink. C - wine shading to violet.
WINSTON CHURCHILL	(Garson 1942) (D) T & S - deep pink. C - lavender blue.